


HOW TO CONFIGURE PHYSICAL OBJECT LOCKING FOR PEOPLETOOLS 8.54+


You can configure Stat to physically secure PeopleSoft proprietary objects in their native environment the moment they are locked in a CSR. This ensures that the developer assigned to the object is the only one working on it. In addition, you can set up the Stat Central Agent to run synchronization jobs at specified time intervals to ensure that the Stat Repository and your PeopleSoft environments remain synchronized. By default, the prefix for POL (Physical Object Locking) will be set to STAT. An alternative group name can be change in **Maintenance | General | Peoplesoft Connect | Stat PSOPRID column.**

- Create a **unique PSOPRID** if you haven't done so by navigating to **PeopleTools | Security | User Profiles**
- Create a unique **Primary Permission List** for each user. In this example, I've created a Primary Permission List (PPL) called STAT_NANCIPPL.



Permission List Save As

Save Permission List PTPT4800
To



- Open up the user profile and change the primary to be the unique PPL for the user

← → ↻ ▲ Not secure | https://pt856.local.org:8443/psp/ps/EMPLOYEE/HRMS/c/MAINTAIN_SECURITY.USERMAINT.GBL

< Perm. List Save As **User Pro**

General | ID | Roles | Workflow | Audit | Links | User ID Queries

User ID NANJI Account Locked Out?

Description NANJI CHAU

Logon Information

Symbolic ID

Change Password?

Password Expired?

User ID Alias

[Edit Email Addresses](#) [Instant Messaging Information](#)

General Attributes

Language Enable Expert Entry

Currency

Default Mobile Page

Permission Lists

Navigator Homepage	<input type="text" value="HCSPNAVHP"/>	<input type="checkbox"/> Primary	<input type="text" value="STAT_NANCIPPL"/>
Process Profile	<input type="text" value="HCSPPRFL"/>		
Row Security	<input type="text" value="HCDPALL"/>		

[General](#) | [ID](#) | [Roles](#) | [Workflow](#) | [Audit](#) | [Links](#) | [User ID Queries](#)

➤ Go to Maintenance | General | Peoplesoft connect and check physical locking option

Active	Environment Cd	Description	Staging DB	PS Version	Data Obj Version	Physical Locking	Req. Mgr.	Approval	DBFC	SysMax Override	COBRC CON	Database Name	DB User ID	DB Password	Database Server	Sys Login ID
<input checked="" type="checkbox"/>	P844STM1	844 Test - MSS		8.44+		<input type="checkbox"/>			Microsoft SQL Server			P844STM1	sa	Enter Password	JPWALP4W02	sa
<input checked="" type="checkbox"/>	P845SDM1	845 Dev - MSS		8.45+		<input type="checkbox"/>			Microsoft SQL Server			P845SDM1	sa	Enter Password	JPWALP4W02	sa
<input checked="" type="checkbox"/>	P845SPM1	845 Prod - MSS		8.45+		<input type="checkbox"/>			Microsoft SQL Server			P845SPM1	sa	Enter Password	JPWALP4W02	sa
<input checked="" type="checkbox"/>	P845SSM1	845 Staging - MSS		8.45+		<input checked="" type="checkbox"/>			Microsoft SQL Server			P845SSM1	sa	Enter Password	JPWALP4W02	sa
<input checked="" type="checkbox"/>	P846CCMS	Dev 8.46 Sql Server		8.46+		<input type="checkbox"/>			Microsoft SQL Server	P846CCMS		P846CCMS	sa	Enter Password	JPWALP4W02	sa
<input checked="" type="checkbox"/>	P846CPMS	Prod 8.46 Sql Server		8.46+		<input type="checkbox"/>			Microsoft SQL Server	P846CPMS		P846CPMS	sa	Enter Password	JPWALP4W02	sa
<input checked="" type="checkbox"/>	P846CSMS	Staging 8.46 Sql Server		8.46+		<input checked="" type="checkbox"/>			Microsoft SQL Server	P846CSMS		P846CSMS	sa	Enter Password	JPWALP4W02	sa
<input checked="" type="checkbox"/>	P848CDMS	848 Dev - MSS		8.48+		<input type="checkbox"/>			Microsoft SQL Server			P848CDMS	sa	Enter Password	JPWALP4W02	sa
<input checked="" type="checkbox"/>	P848CPMS	848 Prod - MSS		8.48+		<input type="checkbox"/>			Microsoft SQL Server			P848CPMS	sa	Enter Password	JPWALP4W02	sa
<input checked="" type="checkbox"/>	P848CSMS	848 Test - MSS		8.48+		<input type="checkbox"/>			Microsoft SQL Server			P848CSMS	sa	Enter Password	JPWALP4W02	sa
<input checked="" type="checkbox"/>	P848SDM1	848 DEVELOPMENT "D"		8.48+		<input type="checkbox"/>			Oracle			P848SDM1	sysprod	Enter Password	P848SDM1	sysprod
<input checked="" type="checkbox"/>	P848SPM1	848 PRODUCTION "P"		8.48+		<input type="checkbox"/>			Oracle			P848SPM1	sysprod	Enter Password	P848SPM1	sysprod
<input checked="" type="checkbox"/>	P848SSM1	848 STAGING - ORACLE-1		8.48+		<input checked="" type="checkbox"/>			Oracle			P848SSM1	sysprod	Enter Password	P848SSM1	sysprod
<input checked="" type="checkbox"/>	P848ST01	848 TESTING - ORACLE		8.48+		<input type="checkbox"/>			Oracle			P848ST01	sysprod	Enter Password	P848ST01	sysprod
<input checked="" type="checkbox"/>	P850SDM1	PORTAL 850 DEVELOPMENT - ORACLE		8.50+		<input type="checkbox"/>			Oracle			P850SDM1	sysprod	Enter Password	P850SDM1	sysprod
<input checked="" type="checkbox"/>	P850SPM1	PORTAL 850 PRODUCTION - ORACLE		8.50+		<input type="checkbox"/>			Oracle			P850SPM1	sysprod	Enter Password	P850SPM1	sysprod
<input checked="" type="checkbox"/>	P850SSM1	PORTAL 850 STAGING - ORACLE		8.50+		<input checked="" type="checkbox"/>			Oracle			P850SSM1	sysprod	Enter Password	P850SSM1	sysprod
<input checked="" type="checkbox"/>	P851SDM1	P851SDM1		8.51+		<input type="checkbox"/>			Oracle			P851SDM1	sysprod	Enter Password	P851SDM1	sysprod
<input checked="" type="checkbox"/>	P851SDM1T1	P851SDM1T1		8.51+		<input type="checkbox"/>			Oracle			P851SDM1T1	sysprod	Enter Password	P851SDM1T1	sysprod
<input checked="" type="checkbox"/>	P851SP01	HR 851 PROD		8.51+		<input checked="" type="checkbox"/>			Oracle			P851SP01	sysprod	Enter Password	P851SP01	sysprod
<input checked="" type="checkbox"/>	P851SS01	HR 851 STAGING		8.51+		<input checked="" type="checkbox"/>			Oracle			P851SS01	sysprod	Enter Password	P851SS01	sysprod
<input checked="" type="checkbox"/>	P851ST01	HR TEST		8.51+		<input type="checkbox"/>			Oracle			P851ST01	sysprod	Enter Password	P851ST01	sysprod
<input checked="" type="checkbox"/>	P854LDOR	Portal 854 Development		8.54+		<input type="checkbox"/>			Oracle			P854LDOR	p854ldor	Enter Password	p854ldor	p854ldor
<input checked="" type="checkbox"/>	P854LPOR	Portal 854 Production		8.54+		<input type="checkbox"/>			Oracle			P854LPOR	p854ldor	Enter Password	p854ldor	p854ldor
<input checked="" type="checkbox"/>	P854LSOR	Portal 854 Staging		8.54+		<input checked="" type="checkbox"/>			Oracle			P854LSOR	p854ldor	Enter Password	p854ldor	p854ldor
<input checked="" type="checkbox"/>	P854LUTOR	Portal 854 Test		8.54+		<input type="checkbox"/>			Oracle			P854LUTOR	p854ldor	Enter Password	p854ldor	p854ldor
<input checked="" type="checkbox"/>	P855SS01	Peoplesoft 8.55 Staging		8.55+		<input checked="" type="checkbox"/>			Oracle			P855SS01	sysprod	Enter Password	P855SS01	sysprod
<input checked="" type="checkbox"/>	P855SD01	Peoplesoft 8.55 Development		8.55+		<input checked="" type="checkbox"/>			Oracle			P855SD01	sysprod	Enter Password	P855SD01	sysprod
<input checked="" type="checkbox"/>	P855SP01	Peoplesoft 8.55 Production		8.55+		<input type="checkbox"/>			Oracle			P855SP01	sysprod	Enter Password	P855SP01	sysprod
<input checked="" type="checkbox"/>	P856SD01	HR 856 Development		8.56+		<input checked="" type="checkbox"/>			Oracle			P856SD01	sysprod	Enter Password	P856SD01	sysprod
<input checked="" type="checkbox"/>	P856SD011	HR 856 Development II		8.56+		<input checked="" type="checkbox"/>			Oracle			P856SD011	sysprod	Enter Password	P856SD011	sysprod
<input checked="" type="checkbox"/>	P856SP01	HR 856 Production		8.56+		<input type="checkbox"/>			Oracle			P856SP01	sysprod	Enter Password	P856SP01	sysprod
<input checked="" type="checkbox"/>	P856SS01	HR 856 Staging		8.56+		<input checked="" type="checkbox"/>			Oracle			P856SS01	sysprod	Enter Password	P856SS01	sysprod
<input checked="" type="checkbox"/>	TEST DB	TEST DB WITH OSCAR 2		8.44+		<input type="checkbox"/>			COBRC Database	LOB	DESDH01	DESDH01	DESDH01	Enter Password	DESDH01	sysprod

➤ **Optional:** Double click the environment to exclude certain object type from POL. In this case, I've excluded ps/query, tree/tree structure and project from POL. This mean that user who have a valid PSOPRID/password can open up the objects in app designer without having to lock the object in Stat.

PS Options - P856SD011

PS Options by Database | Object Lock Exclusions | Migration Approval List

Select All
Select None

- Business Process
- SQL
- Menu
- Page
- Component
- PS/Query
- Record
- Xlat/Translate
- Tree
- Tree Structure
- Project
- App Engine Program
- Field
- Activity

Test Connection

OK Apply Cancel

Active	Environment Cd	Description	Staging DB	PS Version	Database Name	DB User ID
<input checked="" type="checkbox"/>	P844STM1	844 Test - MSS		8.44+	P844STM1	sa
<input checked="" type="checkbox"/>	P845SDM1	845 Dev - MSS		8.45+	P845SDM1	sysadm
<input checked="" type="checkbox"/>	P845SPM1	845 Prod - MSS		8.45+	P845SPM1	sa
<input checked="" type="checkbox"/>	P845SSM1	845 Staging - MSS		8.45+	P845SSM1	sysadm
<input checked="" type="checkbox"/>	P846CCMS	Dev 8.46 Sql Server		8.46+	P846CCMS	sa
<input checked="" type="checkbox"/>	P846CPMS	Prod 8.46 Sql Server		8.46+	P846CPMS	sa
<input checked="" type="checkbox"/>	P846CSMS	Staging 8.46 Sql Server		8.46+	P846CSMS	sa
<input checked="" type="checkbox"/>	P848CDMS	848 Dev - MSS		8.48+	P848CDMS	sa
<input checked="" type="checkbox"/>	P848CPMS	848 Prod - MSS		8.48+	P848CPMS	sa
<input checked="" type="checkbox"/>	P848CSMS	848 Test - MSS		8.48+	P848CSMS	sa
<input checked="" type="checkbox"/>	P848SDM1	848 DEVELOPMENT "D"		8.48+	P848SDM1	sysprod
<input checked="" type="checkbox"/>	P848SPM1	848 PRODUCTION "P"		8.48+	P848SPM1	sysprod
<input checked="" type="checkbox"/>	P848SSM1	848 STAGING - ORACLE-1		8.48+	P848SSM1	sysprod
<input checked="" type="checkbox"/>	P848ST01	848 TESTING - ORACLE		8.48+	P848ST01	sysprod
<input checked="" type="checkbox"/>	P850SDM1	PORTAL 850 DEVELOPMENT - ORACLE		8.50+	P850SDM1	sysprod
<input checked="" type="checkbox"/>	P850SPM1	PORTAL 850 PRODUCTION - ORACLE		8.50+	P850SPM1	sysprod
<input checked="" type="checkbox"/>	P850SSM1	PORTAL 850 STAGING - ORACLE		8.50+	P850SSM1	sysprod
<input checked="" type="checkbox"/>	P851SDM1	P851SDM1		8.51+	P851SDM1	sysprod
<input checked="" type="checkbox"/>	P851SDM1T1	P851SDM1T1		8.51+	P851SDM1T1	sysprod
<input checked="" type="checkbox"/>	P851SP01	HR 851 PROD		8.51+	P851SP01	sysprod
<input checked="" type="checkbox"/>	P851SS01	HR 851 STAGING		8.51+	P851SS01	sysprod
<input checked="" type="checkbox"/>	P851ST01	HR TEST		8.51+	P851ST01	sysprod
<input checked="" type="checkbox"/>	P854LDOR	Portal 854 Development		8.54+	P854LDOR	p854ldor
<input checked="" type="checkbox"/>	P854LPOR	Portal 854 Production		8.54+	P854LPOR	p854ldor
<input checked="" type="checkbox"/>	P854LSOR	Portal 854 Staging		8.54+	P854LSOR	p854ldor
<input checked="" type="checkbox"/>	P854LUTOR	Portal 854 Test		8.54+	P854LUTOR	p854ldor
<input checked="" type="checkbox"/>	P855SS01	Peoplesoft 8.55 Staging		8.55+	P855SS01	sysprod
<input checked="" type="checkbox"/>	P855SD01	Peoplesoft 8.55 Development		8.55+	P855SD01	sysprod
<input checked="" type="checkbox"/>	P855SP01	Peoplesoft 8.55 Production		8.55+	P855SP01	sysprod
<input checked="" type="checkbox"/>	P856SD01	HR 856 Development		8.56+	P856SD01	sysprod
<input checked="" type="checkbox"/>	P856SD011	HR 856 Development II		8.56+	P856SD011	sysprod
<input checked="" type="checkbox"/>	P856SP01	HR 856 Production		8.56+	P856SP01	sysprod
<input checked="" type="checkbox"/>	P856SS01	HR 856 Staging		8.56+	P856SS01	sysprod

- Go to **Maintenance | General | Service domain** and check **ps locking** for the service domain

Address Line 3	City	State	Zip	Country	Telephone	Last CSR #	CSR PS Tab	CSR Oracle Tab	CSR Generic Tab	Generic Application Label	PS Locking	CSR Task Tab	CSR Issue Tab	Daily Time Entry	Use Appl Env	Use Cust Prio	CHK Cust Open
Long Beach	CA	90802			(562) 495-0777	500	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Long Beach	CA	90802			(562) 495-0777	1	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>		<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Long Beach	CA	90802			(562) 495-0777	2,3,4	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	harshnet02	<input checked="" type="checkbox"/>						
Irvine	CA	92776			(949) 545-5555	0	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	FrankTest	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Irvine	CA	92776			(949) 545-5555	0	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Irvine	CA	92776			(949) 754-8000	5	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Also Webj	CA	92656	USA		(714)	0	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Irvine	CA	92656	USA		(949) 754-8000	0	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Irvine	CA	92656	USA		(949) 754-8000	0	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>		<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
AV	CA	92656	USA		(949) 754-8000	0	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>		<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Also Webj	CA	92656	USA		(949) 754-8000	0	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Also Webj	CA	92656	USA		(949) 754-8000	0	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
CR	CA	92656	USA		(949) 754-8000	1	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Gatedmg	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Also Webj	CA	92656	USA		(949) 754-8000	0	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Panama	PA	05507	USA		(507) 390-9302	0	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
ALISO	CA	92668			(999) 999-9999	0	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
ALISO	CA	92656			(999) 999-9999	0	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

- Go to **Maintenance | Stat central agent | Job Maintenance** and create a new ps object lock synch job. If you could not locate the environment from the drop down list, then verify to see if the environment is part of the peoplesoft migration path.

What is PS Object Lock Sync job and why it is necessary to run it?

This job makes sure that the PeopleSoft Object Security groups contain the correct objects. They might not contain the correct objects if, for example, someone has modified the group definitions in PeopleSoft. The job has two steps:

- Sync objects locked in Stat by Stat developers with the Object Security Groups for the PeopleSoft developers in PeopleSoft
- Sync all objects in PeopleSoft with the Stat_Read and Stat_Exclud Groups in Object Security

There are two key differences between the physical locking that occurs when users lock objects in a CSR and the PS Object Lock Sync job:

- When a user saves a CSR after locking an object associated with it, Stat Central Agent automatically processes this object lock. It inserts a row in the Assigned Developer's Object Security Group in PeopleSoft for the locked object. This is not done using the PS Object Lock Sync job. Stat Central Agent does it automatically in the background. Once Stat Central Agent finishes this process, the developer can open and modify this object in PeopleSoft.
- You can schedule the PS Object Lock Sync job to run for the selected PeopleSoft environment any time you wish. It is recommended to run it once or twice a day during

nonpeak hours. However, this job might need to be run more often depending on how many newly objects get created. If there are newly object get created very often then the job needs to be run more frequently or run it on demand as necessary.

Job Maintenance - (Untitled)

Job Definition | Schedule | Error Notification

Job Definition Job Enabled

Job Nbr: (New) Owner: SYSTEM

Job Class: PS Object Lock Sync

Description: P856SD02-PS Object Lock Sync

Job Priority: 5

PS Database: P856SD02

OK Apply Cancel

563 VPH&M RotEmail Email Report

The first time the job ran, it will create STAT_READ, STAT_EXCLUD (if user check objects to be excluded from POL, and STAT_PSOPRID (if user added at least one object via Stat).

- Logon to the **Peoplesoft portal | go to Peopletools | Security | Permission List and Roles**. Locate the user Primary Permission List.
- **Open up the PPL | go to Definition Security tab** and add STAT_READ, STAT_EXCLUDE (if there are objects to be excluded) and STAT_PSOPRID. Set STAT_READ to display only.

← → ↻ ▲ Not secure | https://pt856.local.org:8443/ps/ps/EMPLOYEE/HRMS/c/MAINTAIN_SECURITY.ACCESS_CNTRL_LISTX.GBL

Search Groups **Permission Lists**

Search Groups | **Definition Security** | ACM Templates | Permission List Queries

Permission List STAT_NANCIPPL
Description STAT_NANCIPPL: clone of PTPT4

Definition Groups Personalize | Find | View All | First 1-3 of 3 Last

Definition Group	Display Only		
STAT_READ	<input checked="" type="checkbox"/>	+	-
STAT_EXCLUDE	<input type="checkbox"/>	+	-
STAT_NANCI	<input type="checkbox"/>	+	-

Definition Type Permissions

Save | Return to Search | Add | Update/Display

[General](#) | [Pages](#) | [PeopleTools](#) | [Process](#) | [Sign-on Times](#) | [Component Interfaces](#) | [Web Libraries](#) | [Web Services](#) | [Personalizations](#) | [Query](#) | [Mass Change](#) | [Links](#) | [Audit](#) | [Data Mi](#)

- When the PS object lock sync job run, it will take a look at all the objects that was added in Stat for example by NANCI and will put it into STAT_NANCI group. Therefore, only NANCI could open these objects and no one else except a user with PeopleSoft Admin role.

To test whether or not POL is working properly.

- Add an object into a csr. In this case, I've added an activity called Calculate Retro Pay. This object will automatically get added to STAT_NANCI group.

Definition Security

Group Content Summary | Group Content Detail | Inclusion Rules | Group Permissions | Group Users

Definition Group: STAT_NANCI
Object Name: Activities [Insert Definitions]

Dynamic Flag	Activity Name
<input type="checkbox"/>	Calculate Retro Pay

Select All | Un-select All | Delete

Save | Save As... | Return to Search


Group Content Summary | Group Content Detail | Inclusion Rules | Group Permissions | Group Users

- Now logon as NANCI and was able to open this object

Calculate Retro Pay (Activity)

```
graph LR; A[Calculate Retro Pay] --> B[Review Error Messages]; B --> C[Review Calculated Amounts]; C --> D[Report Calculations (All)]; D --> E[Report Calculations (Items)];
```

- Try to open another object that hasn't been locked via Stat and got read-only prompt



Additional Info: In order to be able to open record peoplecode, component peoplecode, app engine peoplecode, user needs to make sure to add the parent object along with it. For example, I've added a record peoplecode name AA_COST_RT_JPN.EMPIL (RowInit) in a csr, then I need to make sure to add the record AA_COST_RT_JPN in order to open the record peoplecode.

SUMMARY TIPS OF HOW TO CONFIGURE POL

- Starting with Peopletools 8.54+, there is no need to create a page called ZZSTATDONOTDEL as a place holder. STAT_READ, STAT_EXCLUDE, STAT_PSOPRID will automatically get created once the ps object lock synch job run if at least one object is locked in a csr. When you first configure POL, you only need to do the following steps:
 1. Create a unique Psoft userid if you don't have one. If you do, then skip this step
 2. Create a unique PPL for the user
 3. Link the unique PPL to the user profile
 4. Enable use physical locking and ps locking in stat
 5. Make sure to enter a valid PSOPRID in User Options | Peoplesoft Options in order for Stat to lock the objects in the correct PPL.
 6. Run the ps object lock synch job and it's will create STAT_READ, STAT_EXCLUDE, STAT_PSOPRID if user have added the object in Stat. If not, then no STAT_PSOPRID get created.
 7. Link STAT_READ, STAT_EXCLUDE (optional), STAT_PSOPRID to the PPL. Set display only for STAT_READ group.
 8. If any new stat user who added objects after the ps object lock get run then make sure to run the ps object lock synch job again and link the unique PPL to STAT_READ, STAT_EXCLUDE, and STAT_PSOPRID.