

参考資料

MNSP Designer

移行処理を実行する前準備(各種設定)

Quest™

MNSPのオプション設定

オプションで設定する作業

SharePointアイテムにデータ移行するために、以下を実施

1. SharePointサイトコレクションを設定
2. Notes IDのパスワードを設定
3. ユーザーマッピングを設定

さらに、必要であれば、以下を実施

1. LinkTrackingのクライアント設定
2. プロンプトやログ出力レベルを設定
3. SharePointブロックファイルを設定

SharePointオプション設定

Migrator for Notes to SharePoint Options

General Notes **SharePoint** SQL Server Folder User Mapping Group Mapping Link Tracking Publish Status

SharePoint Environments

Name:

Type:

Settings...

Configure SharePoint site collections:

Add...

Edit...

Delete

[Test Connections](#)

Credentials:

Enable multiple SharePoint environments

Blocked Files...

OK Cancel

SharePointサイトコレクションの追加

The image shows a screenshot of the "Migrator for Notes to SharePoint Options" dialog box. The "SharePoint" tab is selected. In the "SharePoint Environments" section, the "Name" is "Default" and the "Type" is "SharePoint web services (Office 365 Auth)". Under "Configure SharePoint site collections:", a list contains the URL "https://platformmanagement.sharepoint.com/sites/seminar", which is highlighted in blue. Below this list, the "Credentials" field is filled with "yoshiah@platformmanagement.onmicrosoft.com". At the bottom left, there is a checkbox for "Enable multiple SharePoint environments" which is unchecked. At the bottom right, there is a "Blocked Files..." button. An "Edit SharePoint Site" sub-dialog box is open over the main dialog, showing the "SharePoint site URL:" field with the same URL "https://platformmanagement.sharepoint.com/sites/seminar" entered and highlighted in red. The sub-dialog has "OK" and "Cancel" buttons. A large red arrow points from the "Add..." button in the main dialog to the "OK" button in the sub-dialog.

Migrator for Notes to SharePoint Options

General Notes **SharePoint** SQL Server Folder L

SharePoint Environments

Name: Default

Type: SharePoint web services (Office 365 Auth)

Configure SharePoint site collections:

https://platformmanagement.sharepoint.com/sites/seminar

Credentials: yoshiah@platformmanagement.onmicrosoft.com

Enable multiple SharePoint environments

Blocked Files...

OK Cancel

Edit SharePoint Site

SharePoint site URL:

https://platformmanagement.sharepoint.com/sites/seminar

OK Cancel

Add...

Edit...

Delete

[Test Connections](#)

SharePointサイトへの接続ユーザーの設定

Migrator for Notes to SharePoint Options

General | Notes | **SharePoint** | SQL Server | Folder | User Mapping

SharePoint Environments

Name:

Type:

Configure SharePoint site collections:

Credentials:

Enable multiple SharePoint environments

Office 365 Credentials

Use SharePoint logon

User name:

Password:

Use Windows authentication (for federated domains)

Home realm:

Example: sts1.contoso.com


STS app pool identity:

Example: contoso\Administrator


Internal site (only needed when migrating to public website in vanity domain)

Site URL:

Example: https://contoso.sharepoint.com



SharePointサイトへの接続確認



クライアントのLinkTracking設定を有効にする場合

The image shows the 'Migrator for Notes to SharePoint Options' dialog box. The 'SharePoint' tab is selected. In the 'SharePoint Environments' section, the 'Name' is 'Default' and the 'Type' is 'SharePoint web services (Office 365)'. The 'Configure SharePoint site collections:' field contains the URL 'https://platformmanagement.sharepoint.com'. The 'Credentials' field contains 'yoshiah@platformmanagement.or'. An orange arrow points from the URL field to the 'SharePoint Environment Settings' sub-dialog box.

SharePoint Environment Settings

Please review the settings for this new environment type


Web Services Environment Settings (Office 365 Authentication)

- Incremental back off uses seconds between retries to avoid getting throttled.
- Retries times before reporting throttled error.
- Refresh cookies minutes before they are due to expire
- Force cookies to expire minutes after they are acquired
- Cache authentication cookies in configuration file
- Enable the Quest Link Tracking Service
 - Use default redirector Url
 - User defined redirector Url

Azure Storage Account Settings

- Enable Azure Turbo Mode
- Storage Account:
- Access Key:
- Encrypt Content

Notes IDのパスワード設定



Migrator for Notes to SharePoint Options

General Notes SharePoint SQL Server Folder User Mapping Group Mapping Link Tracking Publish Status

Connecting to your local Notes environment

Password for local Notes ID: [Redacted]

Override default Notes INI file: C:\Program Files (x86)\IBM\Notes\notes.ini

Test

Configure User/Group Resolution Server... Max group size: 100

OK Cancel

Password for local Notes ID

Notes IDのパスワードを指定。

Override default Notes INI file

Notesクライアントが使用する既定の構成ファイルを使用。

Notes構成ファイルを指定する場合は、任意のnotes.iniファイルを設定。

クライアントのUser Mappingを有効にする場合

The screenshot shows the 'Migrator for Notes to SharePoint Options' dialog box with the 'User Mapping' tab selected. The 'Input translation' dropdown is set to 'None', and 'Map Notes Names to Site Collection Users' is set to 'Use Text File lookup'. The 'Output translation' field is empty. Under 'Text File lookup options', the 'Comma delimited file' radio button is selected. The 'Path' field contains 'C:\mnspp\mapping\user_map.txt' and has a 'Browse' button next to it. A 'Test User Mapping' link is visible at the bottom right of the dialog. The 'OK' and 'Cancel' buttons are at the bottom.

Migrator for Notes to SharePoint Options

General Notes SharePoint SQL Server Folder **User Mapping** Group Mapping Link Tracking Publish Status

Input translation: None

Map Notes Names to Site Collection Users: Use Text File lookup

Output translation (leave blank for no translation):

Text File lookup options

Format: XML file Comma delimited file

Path: C:\mnspp\mapping\user_map.txt Browse

[Test User Mapping](#)

OK Cancel

マッピングファイル

- Notesユーザーとドメインアカウントのマッピングを作成。
- Notesユーザーの形式はAbbreviate、Canonicalなどを設定。



The screenshot shows a text editor window titled "usermap.txt - メモ帳". The menu bar includes "ファイル(F)", "編集(E)", "書式(O)", "表示(V)", and "ヘルプ(H)". The main content area contains a list of user mappings, each on a new line. Each line consists of a Notes user name followed by a domain email address. The first line, "mnadmin/Admin/Contoso,yoshiah@contoso.com", is highlighted with a yellow box around the Notes user name and a blue box around the email address. The following lines are: "Koji Hatayama/Planning/Contoso,khatayama@contoso.com", "Koji Hatayama/SE/Contoso,khatayama@contoso.com", "Takayoshi Tsuihiji/Contoso,ttsuihiji@contoso.com", "Toshiyuki Ono/Finance/Contoso,tono@contoso.com", and "Toshiyuki Ono/Sales/Contoso,tono@contoso.com". The last three lines are also highlighted with yellow boxes around the Notes user names and blue boxes around the email addresses. The window has standard Windows window controls (minimize, maximize, close) in the top right corner and a scrollbar on the right side.

```
usermap.txt - メモ帳
ファイル(F) 編集(E) 書式(O) 表示(V) ヘルプ(H)
mnadmin/Admin/Contoso,yoshiah@contoso.com
Koji Hatayama/Planning/Contoso,khatayama@contoso.com
Koji Hatayama/SE/Contoso,khatayama@contoso.com
Takayoshi Tsuihiji/Contoso,ttsuihiji@contoso.com
Toshiyuki Ono/Finance/Contoso,tono@contoso.com
Toshiyuki Ono/Sales/Contoso,tono@contoso.com
Yoshiaki Hashiba/Dev/Contoso,yhashiba@contoso.com
Yoshiaki Hashiba/Sales/Contoso,yhashiba@contoso.com
Yoshiaki Hashiba/SE/Contoso,yhashiba@contoso.com
```

ユーザーマッピングのテスト

The image shows the 'Migrator for Notes to SharePoint Options' dialog box with the 'User Mapping' tab selected. The 'Input translation' is set to 'None' and 'Map Notes Names to Site Collection Users' is set to 'Use Text File lookup'. The 'Text File lookup options' section shows 'Format' set to 'Comma delimited' and 'Path' set to 'C:\mnsf\mapping'. A sub-dialog 'Test User/Group Mapping' is open, showing the 'Source' as 'C:\mnsf\mapping\user_map.txt' and the 'Canonical Notes Name' as 'CN=Yoshiaki Hashiba/O=Contoso'. The 'After Name Translation' field also shows 'CN=Yoshiaki Hashiba/O=Contoso' and 'Translation Type' is 'None'. The 'After Name Lookup' field shows the email address 'yhashiba@platformmanagement.onmicrosoft.com'. A red arrow points from the 'Test User Mapping' link in the main dialog to the 'Test User/Group Mapping' sub-dialog. The 'OK' button in the sub-dialog is highlighted with a blue dashed border.

Migrator for Notes to SharePoint Options

General Notes SharePoint SQL Server Folder **User Mapping** Group Mapping Link Tracking Publish Status

Input translation: None

Map Notes Names to Site Collection Users: Use Text File lookup

Output translation (leave blank for no translation):

Text File lookup options

Format: XML file Comma delimited

Path: C:\mnsf\mapping

Test User/Group Mapping

Source: C:\mnsf\mapping\user_map.txt

Canonical Notes Name: CN=Yoshiaki Hashiba/O=Contoso

Lookup

After Name Translation: CN=Yoshiaki Hashiba/O=Contoso

Translation Type: None

After Name Lookup: yhashiba@platformmanagement.onmicrosoft.com

Validate In SharePoint Close

Test User Mapping

OK Cancel

移行処理でSharePointアイテムを削除する場合①

Migrator for Notes to SharePoint Options

General Notes SharePoint SQL Server Folder User Mapping Group Mapping Link Tracking Publish Status

Allow Deletion of SharePoint records

移行ジョブの実行時にSharePointアイテムを削除する場合に使用。この設定をオンにした場合に限り、SharePointタブのSharePoint ItemsのDelete current SharePoint List itemsの選択が可能。

例) Allow Deletion of SharePoint recordsがオフの場合、SharePoint ItemsのDelete current SharePoint List itemsがグレーアウトされる。(オン/オフが不可能)

Allow Deletion of SharePoint records

Replacement Character:

Quest Migrator for Notes to SharePoint Designer (TRIAL MODE)

File Edit Run Tools View Help

Notes SharePoint Map Data Advanced

Data Target Type: SharePoint

Select Site URL:

Test List Name:

Open Template used:

Create SharePoint List (if needed)

Add or upgrade List Fields (if needed)

When creating List, add to Quick Launch

When creating List, enable versioning

Target Data Definition

Name:

Description:

Load Create Edit Save

SharePoint Items

Delete current SharePoint List items If duplicate found:

New Job Load Job Save Job Options Run Job Close

移行処理でSharePointアイテムを削除する場合②

Migrator for Notes to SharePoint Options

General Notes SharePoint SQL Server Folder User Mapping Group Mapping Link Tracking Publish Status

Allow Deletion of SharePoint records

移行ジョブの実行時にSharePointアイテムを削除する場合に使用。この設定をオンにした場合に限り、SharePointタブのSharePoint ItemsのDelete current SharePoint List itemsの選択が可能。

例) Allow Deletion of SharePoint recordsがオンの場合、SharePoint ItemsのDelete current SharePoint List itemsのオン/オフが可能。

Allow Deletion of SharePoint records

Replacement Character:

Quest Migrator for Notes to SharePoint Designer (TRIAL MODE)

File Edit Run Tools View Help

Notes SharePoint Map Data Advanced

Data Target Type: SharePoint

Select Site URL:

Test List Name:

Open Template used:

Create SharePoint List (if needed)

Add or upgrade List Fields (if needed)

When creating List, add to Quick Launch

When creating List, enable versioning

Target Data Definition

Name:

Description:

Load Create Edit Save

SharePoint Items

Delete current SharePoint List items If duplicate found:

New Job Load Job Save Job Options Run Job Close

SharePoint禁則文字の変換



プロンプトとログ設定①

Migrator for Notes to SharePoint Options

General Notes SharePoint SQL Server Folder User Mapping

On errors writing to SharePoint

移行ジョブの実行時にエラーが発生した場合の処理方法を指定。

Prompt user (if possible)

オンを選択した場合、エラー発生時にプロンプトを表示し、処理を中断。



オフを選択した場合、エラー発生時に処理を中断せずに、次の処理を実行。

例) Prompt userがオンの場合、移行ジョブ実行時にエラーが発生した場合、処理を中断。Prompt when recoverable errors occurがオンの状態のため、処理を継続するには、Resume taskをクリックするか、Prompt when recoverable errors occurをオフにする。

Log and continue (if possible)

オンを選択した場合、エラー発生時にエラーを記録し、次の処理を実行。

オフを選択した場合、エラー発生時にエラーを記録せずに、次の処理を実行。



プロンプトとログ設定②

Migrator for Notes to SharePoint Options

General Notes SharePoint SQL Server Folder User Mapping

On errors writing to SharePoint

移行ジョブの実行時にエラーが発生した場合の処理方法を指定。

Prompt user (if possible)

オンを選択した場合、エラー発生時にプロンプトを表示し、処理を中断。



オフを選択した場合、エラー発生時に処理を中断せずに、次の処理を実行。

例) Prompt userがオフの場合、移行ジョブ実行時にエラーが発生した場合でも、処理が継続。また、Prompt when recoverable errors occurは表示されない。


Log and continue (if possible)

オンを選択した場合、エラー発生時にエラーを記録し、次の処理を実行。

オフを選択した場合、エラー発生時にエラーを記録せずに、次の処理を実行。



SharePointブロックファイルなどの設定



参考資料

MNSP Designer
移行ジョブの実行

Quest™

NotesデータベースをSharePointアプリへ移行

MNSP Designerで実施する作業

SharePointリスト/ライブラリの列に値を設定するために、以下を実施

1. 移行元のテンプレートをカスタマイズ(Notesデータベースや列を設定)
2. 移行先のテンプレートをカスタマイズ(SharePointアプリや列を設定)
3. 移行元のNotes列と移行先のSharePoint列を関連付け
4. 移行ジョブを実行

さらに、必要であれば、以下を実施

1. 文書リンクの継続方法を選択 (LinkTrackingの利用)
2. NotesのACL,ルールをSharePoint権限に関連付け
3. NotesのビューからSharePointのビューを作成

移行元テンプレートをカスタマイズ

Source Data Definition(Notes)

Notesのデータ定義で実施する作業

SharePointリスト/ライブラリの列に値を設定するために、以下を実施

1. Windows Metafile Imageの変換を設定
2. データ抽出条件を指定(ビュー、フォーム、関数など)
3. Notesデータベースの列を選択やNotes関数で値を作成

さらに、必要であれば、以下を実施

1. 文書リンクの継続方法を選択 (LinkTrackingの利用)
2. NotesのACL,ルールをSharePoint権限に関連付け
3. NotesのビューからSharePointのビューを作成

Notesタブ：移行対象のフィールドを定義

The screenshot shows the 'Notes' tab in the Quest Migrator for Notes to SharePoint Designer application. The interface includes a menu bar (File, Edit, Run, Tools, View, Help) and a toolbar with buttons for 'New Job', 'Load Job', 'Save Job', 'Options', 'Run Job', and 'Close'. The main workspace is divided into three sections: 'Data Source', 'Source Data Definition', and 'Source Records'. The 'Data Source' section has a 'Type' dropdown set to 'Notes' and buttons for 'Select', 'Test', and 'Open'. The 'Source Data Definition' section has input fields for 'Name' and 'Description', and buttons for 'Load', 'Create', 'Edit', 'Save', and 'Preview'. The 'Source Records' section has input fields for 'Max records' and 'Skip'.

Notesタブ

Select

Notesデータベースを選択

Test

Notesデータベースへの接続をテスト

Open

Notesデータベースを開く

Load

移行元テンプレートを選択

Create

移行元テンプレートを新規作成

Edit

移行元テンプレートを編集

Save

移行元テンプレートを保存

Preview

移行元テンプレートを新規作成

Max records

移行件数を指定

Skip

指定件数以降の文書を移行

移行元：Notesデータベースを選択

Quest Migrator for Notes to SharePoint Designer

File Edit Run Tools View Help

Notes SharePoint Map Data Advanced

Data Source Type: Notes

Select Connection String: server='local'; database='Sample/product.nsf'; zone='utc'

Test Title: 製品紹介

Open Template used: StdR9Discussion/ja

Source Data Definition


Name: Description:

Load Create Edit Save

Source Records

Max records: Skip:

New Job Load Job Save Job Options



移行元のNotesデータベースを選択

Title	製品紹介
Server	
Directory	Sample
File	product.nsf
TemplateName	
TemplateUsed	StdR9Discussion/ja
Categories	Discussion
Replica Id	4925815000644a2c
Created	2017/07/02 3:15
Modified	2017/11/09 9:24
Data Modified	2017/11/09 9:24

Migrator for Notes to SharePoint

© 2017 Quest Software Inc. All Rights


Please select a database on the left and press OK.

OK

Cancel

Go to Database

移行元：Notesデータベースの接続確認



接続結果が返される

移行元：Notesデータベースを開く

The screenshot shows the Quest Migrator for Notes to SharePoint Designer interface. The 'Data Source' section is active, with the 'Open' button highlighted. A dialog box from Internet Explorer asks for permission to open the program (IBM Notes/Domino) at the address notes:///Sample/product.nsf. The '許可(A)' (Allow) button is highlighted. Below the dialog, a text box states: 'NotesでNotesデータベースが開く' (Notes database is opened in Notes). The background shows the Notes application interface with a list of documents.

Quest Migrator for Notes to SharePoint Designer

File Edit Run Tools View Help

Notes SharePoint Map Data Advanced

Data Source Type:

Select Connection String: server='local', database='Sample/pr

Test Title: 製品紹介

Open Template used: StdR9Discussion/ja

Source Data Definition

Name:

Description:

Load Create Edit Save

Source F

Max re

Skip:

New Job Load Job Save Job Options

Internet Explorer

この Web サイトがこのコンピュータのプログラムを開くことを許可しますか?

プログラム: IBM Notes/Domino
アドレス: notes:///Sample/product.nsf

この種類のアドレスを開く前に常に確認する(W)

許可(A) キャンセル

Web コンテンツにプログラムを開くことを許可することは便利ですが、コンピューターに書を与える可能性があります。コンテンツの送信元を信頼しない限り、許可しないでください。危険性の説明

製品紹介 - すべての文書 - IBM Notes

ファイル(F) 編集(E) 表示(V) 作成(C) アクション(A) ツール(O) ウィンドウ(W) ヘルプ(H)

開く

製品紹介 - すべての文書

ディスカッション

製品紹介

すべての文書

作成者別

ユーザー名の別名別

カテゴリ別

作成者プロフィール

個人フォルダ

個人キーワードプロフィー

作成者プロフィール作成

新規イベントピック作成 送答 作成者とチャット

製品紹介

ビュー すべての文書の検索 結果の表示 現在のビューと同様にソート 索引済み

検索

日付へ トピック

2017/11/02 MNSP 送付ファイル (Yoshiaki Hashiba)

2017/11/02 MNSP のシステム 構成 (Yoshiaki Hashiba)

2017/07/03 サポート および サービス (Yoshiaki Hashiba)

2017/07/02 期限切れ: Security Explorer (Yoshiaki Hashiba)

2017/07/02 Change Auditor for Exchange (Yusuke Kaji)

2017/07/02 期限切れ: Change Auditor for Active Directory (Toshiyuki Ono)

2017/07/02 2 Coexistence Manager for Notes (Koichi Kasuga)

Free Trial of Coexistence Manager for Notes (Yoshiaki Hashiba 2017/07/24)

Product Support - Coexistence Manager for Notes (Koji Hatayama 2017/07/24)

2017/07/02 3 Migrator for Notes to SharePoint (Koji Hatayama)

無償評価版: Migrator for Notes to SharePoint (Yoshiaki Hashiba 2017/07/24)

Product Support - Migrator for Notes to SharePoint (Koichi Kasuga 2017/07/24)

MNSP のサポート (Yoshiaki Hashiba 2017/11/09)

移行元：Notes用のテンプレートを選択

Quest Migrator for Notes to SharePoint Designer

File Edit Run Tools View Help

Notes SharePoint Map Data Advanced

Data Source Type: Notes

Select Connection String: server=localhost; database=Sample/product.nsf; zone=utc

Test Title: 製品紹介

Open Template used: StdR9Discussion/ja

Source Data Definition

Name: Discussion

Description: Standard Notes Discussion

Load Create Edit Save

Source Records

Max records:

Skip:

New Job Load Job Save Job Options

移行元テンプレートを選択

Open Source Data Definition

Migrator f... Data Definitions

Data Definitionsの検索

整理 新しいフォルダー

名前	更新日時	種類
Calendar.pmsrc	2017/11/19 22:38	PMSRC
DataSleuth.pmsrc	2017/11/19 22:38	PMSRC
Discussion.pmsrc	2017/11/19 22:38	PMSRC
DocLib.pmsrc	2017/11/19 22:38	PMSRC
Email.pmsrc	2017/11/19 22:38	PMSRC
Journal.pmsrc	2017/11/19 22:38	PMSRC
People.pmsrc	2017/11/19 22:38	PMSRC
Render.pmsrc	2017/11/19 22:38	PMSRC
Tasks.pmsrc	2017/11/19 22:38	PMSRC
TeamroomAction.pmsrc	2017/11/19 22:38	PMSRC
TeamroomCombined.pmsrc	2017/11/19 22:38	PMSRC

ファイル名(N): Discussion.pmsrc

Source Data Definitions (*.pmsrc)

開く(O) キャンセル

移行元：Notes用のテンプレートを選択

Notesのテンプレートに対応(移行元)	
テンプレートファイル名	内容
Calendar.pmsrc	カレンダー
Discussion.pmsrc	ディスカッション
DocLib.pmsrc	文書ライブラリ/Office ライブラリ
Email.pmsrc	メール
Journal.pmsrc	ジャーナル
People.pmsrc	個人アドレス帳
Render.pmsrc	画面イメージをスナップショット
Tasks.pmsrc	タスク
TeamroomAction.pmsrc	チームルーム - 決定した項目の実行
TeamroomCombined.pmsrc	チームルーム - プレーンストーミング
TeamroomDiscussion.pmsrc	チームルーム - ディスカッション
TeamroomDocs.pmsrc	チームルーム - チームドキュメント管理
TeamroomMeeting.pmsrc	チームルーム - ミーティング

自由な組み合わせ

自由な組み合わせ

ファイル形式に対応(移行先)	
テンプレートファイル名	内容
HTML.fdtgr	HTMLファイルに変換しフォルダへ出力
MSG.fdtgr	メールメッセージ(msg)に変換してフォルダへ出力
PDF.fdtgr	PDFに変換してフォルダへ出力
PDF_A.fdtgr	PDF/Aに変換してフォルダへ出力
Word.pmtgr	Wordに変換してフォルダへ出力

Notesのテンプレートに対応(移行元)	
テンプレートファイル名	内容
BasicPages.pmtrg	基本的なドキュメントライブラリ
Contacts.pmtrg	連絡先
Custom.pmtrg	カスタムリスト
Discussion.pmtrg	ディスカッション掲示板
DocLib.pmtrg	ライブラリ
Events.pmtrg	WSS - イベント一覧
HTML.pmtrg	HTMLファイルに変換しライブラリへ移行
InfoPath.pmtrg	InfoPath - XML形式で移行
Mime.pmtrg	HTML形式(mhtファイル)に変換しライブラリへ移行
MSG.pmtrg	メールメッセージ(msg)に変換してライブラリへ移行
PageLibrary2007.pmtrg	SharePoint 2007 発行サイトページ
PageLibrary2010.pmtrg	SharePoint 2010 発行サイトページ
PageLibrary2013.pmtrg	SharePoint 2013 発行サイトページ
PDF.pmtrg	PDFに変換してライブラリへ移行
PDF_A.pmtrg	PDF/Aに変換してライブラリへ移行
PictureLib.pmtrg	画像ライブラリへ移行
Tasks.pmtrg	タスクへ移行
WebParts.pmtrg	WebPartsへ移行するための基本テンプレート
Wiki.pmtrg	Wikiページへ移行
Word.pmtrg	Wordに変換してライブラリへ移行

テンプレートの種類(フィールドの自動マッピング用)

移行元(Notes)と移行先(SharePoint, File)のテンプレートが複数用意されています。

移行元：移行元テンプレートを編集

The screenshot displays the Quest Migrator for Notes to SharePoint Designer interface. The main window shows the 'Data Source' section with 'Type: Notes' and 'Template used: StdR9Discussion/ja'. The 'Source Data Definition' section has 'Name: Discussion' and 'Description: Standard Notes Discussion'. The 'Edit' button is highlighted with a red box. A red arrow points from this button to the 'Source Data Definition (Notes)' dialog box.

The 'Source Data Definition (Notes)' dialog box is open, showing the 'Definition' tab. It contains the following fields:

- Definition name: Discussion
- Description: Standard Notes Discussion
- Templates supported: StdR6Disc;StdR50Disc;StdR5Disc;StdR7Disc
- Maps to list types: Discussion Board; General Discussion

There is a checkbox for 'Convert Windows Metafile Image' and a note: 'Note: Converting a Windows Metafile image to another image format might cause a loss of quality and content from the original image.'

A grey callout box on the right contains the text: 移行元テンプレートをカスタマイズ

移行元：Windows Metafile Imageを変換

Source Data Definition (Notes)

Definition | Record Selection | Data Fields | Preview Data Query

Definition name: Discussion

Description: Standard Notes Discussion

(Use semicolons to separate multiple entries)

Templates supported: StdR6Disc;StdR50Disc;StdR5Disc;StdR7Disc

(Use semicolons to separate multiple entries)

Maps to list types: Discussion Board; General Discussion

Windows Metafile Image Conversion Option

Convert Windows Metafile Image Select target format: JPEG

Note: Converting a Windows Metafile image to another image format might cause a loss of quality and content from the original image.

OK Cancel

Windows Metafile ImageをJPEGなどに変換してデータ移行
※この変換を設定しない場合、SharePointへ移行された
Windows Metafile Imageの画像は×で表示される

移行元：ビューでNotes文書を絞り込み

The screenshot shows the 'Source Data Definition (Notes)' application window. The 'Record Selection' tab is active. The 'Select records based on View/Folder index (recommended for best performance)' checkbox is checked. The 'View/Folder name' field contains '(\$All)'. A red box highlights the 'Select...' button next to this field. A red arrow points from this button to a smaller dialog box titled 'Select Notes View/Folder'. This dialog shows a list of views, with 'すべての文書' (All Documents) selected. To the right of the dialog is a table of properties for the selected view.

Definition **Record Selection** Data Fields Preview Data Query

Select records based on View/Folder index (recommended for best performance) **Select...**

View/Folder name: (\$All)

Select records based on Form Used **Select...**

Form name(s):

Select records based on Notes Full Text Search **Samples**

Select records based on Notes @Formula language

Select records based on Rich Text Content

Select records based on UNID

Notesデータベースのビューを選択し、
文書データを絞り込み

Select Notes View/Folder

- (\$Profiles)
- (\$xpAllDocuments)
- (\$xpAuthorCloud)
- (\$xpAuthorPosts)
- (\$xpAuthorProfiles)
- (\$xpByAuthor)
- (\$xpCategorized)
- (\$xpCategoryCloud)
- (\$xpConfigProfile)
- (\$xpMostRecent)
- (FlatCategory)
- (LookupAuthorProfiles)
- (LookupInterestProfiles)
- (ProfileThreads)
- (デフォルトビュー)
- カテゴリ別
- すべての文書**
- ユーザー名の別名別
- 個人フォルダ
- 作成者プロフィール
- 作成者別

Name	すべての文書
Internal Name	(\$All)
All Names	すべての文書(\$All)
Type	View
Default View	True
Open Collapsed	False
Private	False
Columns	7
Select Formula	
Noteid	442

Migrator for Notes to SharePoint
© 2017 Quest Software Inc. All Rights

Please select a view on the left and press OK.

OK **Cancel**

移行元：フォームでNotes文書を絞り込み

Source Data Definition (Notes)

Definition **Record Selection** Data Fields Preview Data Query

Select records based on View/Folder index (recommended for best performance)
View/Folder name:

Select records based on Form Used
Form name(s):

Select records based on Notes Full Text Search language

Select records based on Notes @Formula language

Select records based on Rich Text Content

Select records based on UNID

Notesデータベースのフォームを選択し、
文書データを絞り込み

form/Folder

- \$ACTIONS
- (\$Replication)
- (\$Subscription)
- (xpConfigProfile)
- (アーカイブログ)
- (プロフィールダイアログ)
- (プロフィール使用説明書)
- Template Name
- スレッドを削除
- メインピック
- 個人キーワードプロフィール
- 作成者プロフィール
- 匿名返答
- 返答

Name	\$ACTIONS
All Names	\$ACTIONS
Is Notes Only	False
Is Web Only	False
Standard	False
Has Subforms	False
Has Computed Subfor	False
Private	False
NoteID	722

Migrator for Notes to SharePoint
© 2017 Quest Software Inc. All Rights
Please select a form on the left and press OK.

移行元：検索文字でNotes文書を絞り込み

The screenshot shows the 'Source Data Definition (Notes)' application window. The 'Record Selection' tab is active, and the 'Select records based on Notes Full Text Search language' option is checked. The text 'MNSP' is entered in the search language field. A callout box explains that this option is used to filter documents based on a search term when indexing is performed in the Notes database. An inset window shows the 'データベース' (Database) details, including the last index date (2017/12/16 12:04:33), size (150 KB), and various indexing settings.

Definition **Record Selection** Data Fields Preview Data Query

Select records based on View/Folder index (recommended for best performance) Select...

View/Folder name:

Select records based on Form Used Select...

Form name(s):

Select records based on Notes Full Text Search language Samples

Select records based on Notes @Formula language Samples

Select records based on Notes @Text language Samples

Select records based on UNID

検索文字を指定し、文書データを絞り込み
※Notesデータベースで「索引の作成」が
実施されている場合に限る

データベース

最終索引日: 2017/12/16 12:04:33 サイズ: 150 KB

索引の更新 索引の作成... 索引の削除...

更新の頻度 (サーバーのみ): 即時

索引外文書数

索引の設定:

大文字/小文字を区別: OFF

索引の切れ目: 単語のみ

添付ファイルの索引: OFF

暗号フィールドの索引: ON

移行元：Notes関数でNotes文書を絞り込み

Source Data Definition (Notes)

Definition **Record Selection** Data Fields Preview Data Query

Select records based on View/Folder index (recommended for best performance) Select...
View/Folder name:

Select records based on Form Used Select...
Form name(s):

Select records based on Notes Full Text Search language Samples

Select records based on Notes @Formula language Samples
@Created >= @Date(2017;11;1)

Select records based on Rich Text Content Details

Select records based Details

関数を用いて、文書データを絞り込み
例) 2017/11/1以降に作成された文書を抽出

OK Cancel

移行元：リッチテキストの内容で絞り込み

Source Data Definition (Notes)

Definition **Record Selection** Data Fields Preview Data Query

Select records based on View/Folder index (recommended for best performance) Select...

View/Folder name:

Select records based on Form Used Select...

Form name(s):

Select records based on Notes Full Text Search language Samples

Select records based on Notes @Formula Samples

Select records based on Rich Text Content

Select records based on UNID

リッチテキストの添付ファイル数で
Notes文書を絞り込み

Details

Rich Text Filter Options

Rich text items to examine:
 (use commas to delimit multiple item names)

Select these documents whose rich text items contain

Whitespaces only
 One attachment only
 Multiple attachments or other rich text

OK Cancel

Whitespaces only
リッチテキストに何も含まない文書(文字や添付ファイルなしの文書)

One attachment only
文字などを含まず添付ファイルを1つ持つ文書

Multiple attachments or other rich text
2つ以上の添付ファイルを持つ文書や文字などを含む文書

移行元：UNIDでNotes文書を絞り込み

The image shows a software interface for migrating data. The main window is titled "Source Data Definition (Notes)" and has several tabs: "Definition", "Record Selection", "Data Fields", and "Preview Data Query". The "Record Selection" tab is active, showing several options for selecting records. The option "Select records based on UNID" is checked. Below this, there is a text box for "Input UNID in each row:" containing a list of alphanumeric strings. A red box highlights this text box, and a red arrow points to it from the right. To the right of the main window, there is a "Content Migration Job" window. It shows the status of the migration: "Records read: 16", "Written: 0", "Errors: 16", and "Warnings: 1". A progress bar is shown with a green bar and the text "Job Finished with Errors!". Below the progress bar, there is a "Load Failed Items" dialog box that says "16 failed item(s) are loaded from the log successfully". At the bottom of the "Content Migration Job" window, there is a "Migrate Failed" button, which is highlighted with a red box. Below the "Content Migration Job" window, there is a "Details" button, also highlighted with a red box. At the bottom of the "Source Data Definition (Notes)" window, there is an "OK" button and a "Cancel" button.

Source Data Definition (Notes)

Definition **Record Selection** Data Fields Preview Data Query

Select records based on View/Folder index (recommended for best performance)
View/Folder name: _____

Select records based on Form Used
Form name(s): _____

Select records based on Notes Full Text Search language

Select records based on _____

Select records based on Rich Text Content

Select records based on UNID

移行ジョブ実行後、エラーが発生した場合、**Migrate Failed** をクリックすることで、Select records based on UNIDの **Details**にUNIDが追加される

Content Migration Job

General Log Summary Log Details

Records read: 16 Written: 0 Errors: 16 Warnings: 1

Task Progress: _____
Job Finished with Errors!

Load Failed Items

16 failed item(s) are loaded from the log successfully

OK

Migrate Failed Go to List Close

Details

Details

UNID Filter Options

Input UNID in each row:

209BC9C0C10138B7492581CC0018FAD2
31DFD4A72AA148A492581CC0015A1FF
7C2CB785B652FCBA4925815100560113
0F193A3A85EAD60649258151004C259B
07E684C9A77870C6492581510032AA1E
21FEC00FC5BE59C4925815100318108
0CF5CA5C3F4B289649258151000F0C25
1C0ABD48760F14EA492581670022E7AC
A87A047E624C5D644925816700274C89
57181CD614BC320F49258151000D8818
5A8AD2359FA98BFE492581670022291E
0EB3886F3150D5A492581670028877F

OK Cancel

Quest | Metalogix
Now part of Quest

移行元：Notesデータベースの列を選択

The screenshot shows the 'Source Data Definition (Notes)' application window. The 'Data Fields' tab is active, displaying a list of fields on the left and a table of column definitions on the right. The 'Data Fields' list includes 'Subject', 'Categories', 'From', 'BodyHtml', 'BodyAttachments', 'BodyEmbeddedObjects', 'BodyImages', 'AltFrom', 'AltLang', 'ArchiveDate', 'ArchiveExpired', 'ArchiveLocation', 'ArchiveLog', 'ArchiveLogDBPath', and 'ArchiveModified'. The 'AltFrom' through 'ArchiveModified' fields are highlighted in green. The table on the right shows columns for 'Column', 'Options', and 'データ' (Data). The 'ItemName' field is highlighted in the table. Below the table, there are buttons for '+ Add', 'X Remove', 'Sort', and arrows for up/down. A red box highlights the 'Select items and columns' button. An orange arrow points from this button to the 'Select data query columns' dialog box. The dialog box shows a tree view of columns with checkboxes next to them. The 'AltFrom', 'AltLang', 'ArchiveDate', 'ARCHIVEDBCREATED', 'ArchiveExpired', 'ArchiveLocation', 'ArchiveLog', 'ArchiveLogDBPath', and 'ArchiveModified' columns are checked. The dialog box also has a section for 'Migrator for Notes to SharePoint' with a checked 'Computed Fields' option and a 'Display' option. The dialog box has 'OK' and 'Cancel' buttons.

Definition Record Selection **Data Fields** Preview Data Query

Subject
Categories
From
BodyHtml
BodyAttachments
BodyEmbeddedObjects
BodyImages
AltFrom
AltLang
ArchiveDate
ArchiveExpired
ArchiveLocation
ArchiveLog
ArchiveLogDBPath
ArchiveModified

Column
ColumnType Item
Options
Alias
Option None
ReturnType String
データ
ItemName Subject

+ Add X Remove Sort ↑ ↓

Select items and columns

ItemName
Name of Notes item to ext

Select data query columns

Columns
Sampled Items
Database Items
_ViewIcon
AbbreviateFrom
AbrFrom
Abstract
AltFrom
AltLang
ArcAgeNum
ArcAgeUnits
ArcBy
ArcEnbl
ArcFldr
ArchiveDate
ARCHIVEDBCREATED
ArchiveExpired
ArchiveLocation
ArchiveLog
ArchiveLogDBPath
ArchiveModified

Migrator for Notes to SharePoint
 Computed Fields Display

Please select one or more data columns on the left and press OK.

OK Cancel

Database Itemsなどから列の選択が可能

移行元：Notes関数を用いてデータを作成

Source Data Definition (Notes)

Definition Record Selection Data Fields Preview Data Query

Subject
Categories
From
BodyHtml
BodyAttachments
BodyEmbeddedObjects
BodyImages
AltFrom
AltLang
ArchiveDate
ArchiveExpired
ArchiveLocation
ArchiveLog
ArchiveLogDBPath
ArchiveModified
Today

▼ Column
ColumnType Formula
▼ Options
Alias Today
Option None
ReturnType None
▼ データ
Formula @Today

例) Notes関数を使用して今日の日付を値として求める

Formula
Formula to compute column value (using Notes @formula language).

Item
ViewColumn
Formula
ParentItem
ParentFormula
RichText
Attachment
OleObject
Image
AttachmentLinks
Render
Document

+ Add X Remove || Sort ↑ ↓
Select items and columns

OK Cancel

移行元：選択した列のデータを事前確認

Source Data Definition (Notes)

Definition | Record Selection | Data Fields | **Preview Data Query**

Test | Clear | Max records: **100** | Skip: 0

Query results: **16** | Current Row: 1 | (Click on an individual cell to view details or extract binary data)

	doccreated	docmodified	ModifiedBy	noteid	unid	parentnoteid
▶	2017/11/02 4:32...	2017/11/02 7:11...	System.String[]	2374	209bc9c0c1013...	
	2017/11/02 3:56...	2017/11/02 4:22...	System.String[]	2370	b1dfd4aa72aa14...	
	2017/07/02 15:3...	2017/07/02 15:4...	System.String[]	2326	7c2cb785b652fc...	
	2017/07/02 13:5...	2017/07/23 6:05...	System.String[]	2322	0f193a3a85ead6...	
	2017/07/02 9:13...	2017/07/23 4:57...	System.String[]	2318	07e684c9a7787...	
	2017/07/02 9:00...	2017/07/23 6:04...	System.String[]	2314	c1fec000fc5be5...	
	2017/07/02 2:44...	2017/07/24 6:30...	System.String[]	2310	ccf5ca5c3f4b28...	

Raw Text View | RichText View

2017/11/02 4:32:50

OK | Cancel

移行先テンプレートをカスタマイズ

Target Data Definition(SharePoint)

SharePointのデータ定義で実施する作業

SharePointリスト/ライブラリの列に値を設定するために、以下を実施

1. SharePoint列を追加
2. 自動マッピングを設定

さらに、必要であれば、以下を実施

1. ビューを移行(カスタムリストなどの場合)

SharePointタブ：移行先のフィールドを定義①

Quest Migrator for Notes to SharePoint Designer (TRIAL MODE)

File Edit Run Tools View Help

Notes **SharePoint** Map Data Advanced

Data Target Type: SharePoint

Select Site URL:

Test List Name:

Open Template used:

Create SharePoint List (if needed)

Add or upgrade List Fields (if needed)

When creating List, add to Quick Launch

When creating List, enable versioning

Target Data Definition

Name:

Description:

Load Create Edit Save

SharePoint Items

Delete current SharePoint List items If duplicate found: Write new item

New Job Load Job Save Job Options Run Job Close

SharePointタブ

Select

SharePointサイト、リストを選択

Test

SharePointリストへの接続をテスト

Open

SharePointリストを開く

Create SharePoint List (if needed)

SharePointリストを作成

Add or upgrade List Fields (if needed)

SharePointアイテムに列を追加

When creating List, add to Quick Launch

リストをクイック起動に追加

When creating List, enable versioning

リストのバージョン管理を有効化

SharePointタブ：移行先のフィールドを定義②

Quest Migrator for Notes to SharePoint Designer (TRIAL MODE)

File Edit Run Tools View Help

Notes **SharePoint** Map Data Advanced

Data Target Type: SharePoint

Select Site URL:

Test List Name:

Open Template used:

Create SharePoint List (if needed)

Add or upgrade List Fields (if needed)

When creating List, add to Quick Launch

When creating List, enable versioning

Target Data Definition

Name:

Description:

Load Create Edit Save

SharePoint Items

Delete current SharePoint List items If duplicate found: Write new item

New Job Load Job Save Job Options Run Job Close

SharePointタブ

Load

移行先テンプレートを選択

Create

移行先テンプレートを新規作成

Edit

移行先テンプレートを編集

Save

移行先テンプレートを保存


Delete current SharePoint List items

移行前にSharePointアイテムを削除

If duplicate found


重複文書の処理方法を選択

移行先：SharePointサイト・アプリを選択




移行先のSharePointサイトを選択

Select SharePoint List



移行先：SharePointサイトへの接続テスト



接続結果が返される

移行先：SharePointサイトを作成する場合

Quest Migrator for Notes to SharePoint Designer (TRIAL MODE)

File Edit Run Tools View Help

Notes SharePoint Map Data Advanced

Data Target Type: SharePoint

Select Site URL: https://platformmanagement.sharepoint.com/sites/ProdInfo

Test List Name: ProdInfo

Open Template used:

Create SharePoint List (if needed)

Add or upgrade List Fields (if needed)

When creating List, add to Quick Launch

When creating List, enable versioning

Target Data Definition

Name: []

Description: []

Load Create Edit Save



SharePoint Items

Delete current SharePoint List items If duplicate found: Create new version (if modified)

New Job Load Job Save Job Options Run Job Close

SharePointサイトが存在しない場合は、
SharePointサイトが作成する

移行先：SharePoint用のテンプレートを選択



移行元：SharePoint用のテンプレートを選択

Notesのテンプレートに対応(移行元)	
テンプレートファイル名	内容
Calendar.pmsrc	カレンダー
Discussion.pmsrc	ディスカッション
DocLib.pmsrc	文書ライブラリ/Office ライブラリ
Email.pmsrc	メール
Journal.pmsrc	ジャーナル
People.pmsrc	個人アドレス帳
Render.pmsrc	画面イメージをスナップショット
Tasks.pmsrc	タスク
TeamroomAction.pmsrc	チームルーム - 決定した項目の実行
TeamroomCombined.pmsrc	チームルーム - プレゼンストーミング
TeamroomDiscussion.pmsrc	チームルーム - ディスカッション
TeamroomDocs.pmsrc	チームルーム - チームドキュメント管理
TeamroomMeeting.pmsrc	チームルーム - ミーティング

自由な組み合わせ

自由な組み合わせ


ファイル形式に対応(移行先)	
テンプレートファイル名	内容
HTML.fdtgr	HTMLファイルに変換しフォルダへ出力
MSG.fdtgr	メールメッセージ(msg)に変換してフォルダへ出力
PDF.fdtgr	PDFに変換してフォルダへ出力
PDF_A.fdtgr	PDF/Aに変換してフォルダへ出力
Word.pmtgr	Wordに変換してフォルダへ出力

Notesのテンプレートに対応(移行元)	
テンプレートファイル名	内容
BasicPages.pmtrg	基本的なドキュメントライブラリ
Contacts.pmtrg	連絡先
Custom.pmtrg	カスタムリスト
Discussion.pmtrg	ディスカッション掲示板
DocLib.pmtrg	ライブラリ
Events.pmtrg	WSS - イベント一覧
HTML.pmtrg	HTMLファイルに変換しライブラリへ移行
InfoPath.pmtrg	InfoPath - XML形式で移行
Mime.pmtrg	HTML形式(mhtファイル)に変換しライブラリへ移行
MSG.pmtrg	メールメッセージ(msg)に変換してライブラリへ移行
PageLibrary2007.pmtrg	SharePoint 2007 発行サイトページ
PageLibrary2010.pmtrg	SharePoint 2010 発行サイトページ
PageLibrary2013.pmtrg	SharePoint 2013 発行サイトページ
PDF.pmtrg	PDFに変換してライブラリへ移行
PDF_A.pmtrg	PDF/Aに変換してライブラリへ移行
PictureLib.pmtrg	画像ライブラリへ移行
Tasks.pmtrg	タスクへ移行
WebParts.pmtrg	WebPartsへ移行するための基本テンプレート
Wiki.pmtrg	Wikiページへ移行
Word.pmtrg	Wordに変換してライブラリへ移行

テンプレートの種類(フィールドの自動マッピング用)

移行元(Notes)と移行先(SharePoint, File)のテンプレートが複数用意されています。

移行先：重複発生時の処理方法を選択



移行ジョブを繰り返し実行する場合などにより、同じUNIDの文書移行が発生した際、どのように処理するかを選択

If duplicate found

Write new item

移行文書の重複確認を行わない。
常に新しいアイテムとして保存。

Replace existing item

移行文書の重複確認を行う。
すでに同じ文書IDを持つアイテムが存在する場合、そのアイテムを削除し、移行文書を保存。

Create new version (if modified)

移行文書の重複確認を行う。
すでに同じ文書IDを持つアイテムが存在する場合、そのアイテムの新しいバージョンとして、移行文書を保存。

Skip item

移行文書の重複確認を行う。
すでに同じ文書IDを持つアイテムが存在する場合、移行文書を保存しない。

移行先：移行元テンプレートを編集

The screenshot displays the 'Quest Migrator for Notes to SharePoint Designer (TRIAL MODE)' interface. The main window shows the 'Data Target' section with 'Type: SharePoint' and 'List Name: ProdInfo'. Below this is the 'Target Data Definition' section, which includes fields for 'Name: Discussion' and 'Description: Standard SharePoint Discussion'. A red arrow points to the 'Edit' button in this section. An inset dialog box titled 'Target Data Definition (SharePoint)' is open, showing the 'List Definition' tab with 'Name: Discussion' and 'List Template: Discussion Board'. A grey callout box on the right contains the text '移行先テンプレートをカスタマイズ' (Customize the destination template).

Quest Migrator for Notes to SharePoint Designer (TRIAL MODE)

File Edit Run Tools View Help

Notes SharePoint Map Data Advanced

Data Target Type: SharePoint

Select Site URL: https://platformmanagement.sharepoint.com/sites/semin

Test List Name: ProdInfo

Open Template used:

Create SharePoint List (

Add or upgrade List Field

When creating List, add t

When creating List, enable

Target Data Definition

Name: Discussion

Description: Standard SharePoint Discussion

Load Create **Edit** S

SharePoint Items

Delete current SharePoint List items If duplicate found: Rep.

New Job Load Job ▾ Save Job Options

Target Data Definition (SharePoint)

List Definition Data Fields Advanced

Target Data Definition

Name: Discussion

Description: Standard SharePoint Discussion

List Template

List Type: Discussion

Template: Discussion Board Select...

Allow management of Content Types

The content types specified here will be added to the target list (if needed). Specify Associated Forms to automatically assign content types for migrated records based on their original Notes form.

Associated Forms Add Edit Remove

OK Cancel

移行先テンプレートをカスタマイズ

移行先：SharePoint列を追加

Target Data Definition (SharePoint)

List Definition **Data Fields** Advanced

Title
Body
Attachments

Field	
Name	Title
Internal Name	
Target Type	Text
Migration	
Add to Views	None
Applies To	PrimaryOnly
Provisioning New Fields	
Description	
Is Required Field	False
Enforce Unique Values	False
Multi Line	False
Is Title Field	False
Default Value	
Add to All Content Types	False
Read Only	False

Name of the field in the SharePoint list.

+ Add X Remove || Sort ↑ ↓ **Load from SharePoint List** Load from Source Fields

OK Cancel

移行先のSharePointリストの列を取り込む
(SharePointリストがある場合、列を取り込める)

移行元のNotesデータベースの列を取り込む
(Notesタブで選択した列を取り込める)

移行先：選択したNotesデータベースの列を追加

移行元テンプレートの列をもとに、移行先テンプレートに列が追加される

例) 移行元テンプレートの設定

移行元テンプレートで指定した列を移行先テンプレートに取り込む

Load from SharePoint List Load from Source Fields

移行先：事前用したSharePointアプリの列を追加

Target Data Definition (SharePoint)

List Definition Data Fields Advanced

Title
Body
Attachments
件名
ComplianceAssetId
MyEditor
MyAuthor
DiscussionLastUpdated
ParentItemId
ParentItemId
LastReplyBy
IsQuestion
BestAnswerId
IsFeatured
EmailSender
Modified
Created
Author
Editor
_UIVersionString
ItemChildCount
FolderChildCount
_ComplianceFlags
_ComplianceTag
_ComplianceTagWrittenTime
_ComplianceTagUserId
AppAuthor

Field

Add to Views None

Applies To Primary

Provisioning New Fields

Description

Is Required Field False

Enforce Unique Values False

Multi Line False (例)

Is Title Field True

Default Value

Add to All Content Types False

Is Read Only

Name
The name of the field in the SharePoint list.

+ Add X Remove Sort ↑ ↓ Load from SharePoint List Load from Source

SharePoint列をもとに、
移行先テンプレートに列が追加される



Office 365 SharePoint

ディスカッション表示核の設

https://platformmanagement.sharepoint.com/sites/semi

金銀設定 権限と管理

このリストは、複数のコンテンツタイプを有効にするように構成されています。コンテンツタイプを使用して、アイテムについては別のコンテンツタイプを使用できます。

コンテンツタイプ
ディスカッション 新規タスクを表示
メッセージ ✓

既存のサイト コンテンツタイプから追加

列

列 (クリックして編集)	種類	使用箇所
件名	1 行テキスト	ディスカッション
更新日時	日付と時刻	
質問	はい/いいえ	ディスカッション
登録日時	日付と時刻	
本文	複数行テキスト	ディスカッション
更新者	ユーザーまたはグループ	ディスカッション
登録者	ユーザーまたはグループ	ディスカッション
親アイテム エディター	ユーザーまたはグループ	メッセージ
最新返信の返信者	ユーザーまたはグループ	ディスカッション
登録者	ユーザーまたはグループ	
更新者	ユーザーまたはグループ	

SharePoint列を
移行先テンプレートに取り込む

移行先：SharePoint列の自動マッピングを設定

The screenshot shows the 'Target Data Definition (SharePoint)' dialog box with the 'Data Fields' tab selected. The 'List Definition' pane on the left lists various fields, with 'Title' selected. The 'Data Fields' pane on the right shows a table with columns for field names and their properties. The 'Provisioning New Fields' section is expanded, showing properties like 'Description', 'Is Required Field', 'Enforce Unique Values', and 'Multi Line'. The 'Source Mapping' section is also expanded, showing a mapping for 'Subject' to 'Title'. A red box highlights the 'Subject: Title' mapping. A red arrow points from the 'Subject: Title' mapping to the 'Load from Source Fields' button. A grey callout box with Japanese text is overlaid on the dialog.

Auto Mapを実行するために、
事前に関連付けを設定

Available Source Fields:

- AltFrom
- AltLang
- ArchiveDate
- ArchiveExpired
- ArchiveLocation
- ArchiveLog
- ArchiveLogDBPath
- ArchiveModified
- BodyAttachments

Field Name	Property	Value
Migration	Add to Views	None
	Applies To	PrimaryOnly
Provisioning New Fields	Description	
	Is Required Field	False
	Enforce Unique Values	False
	Multi Line	False
		False
	Content Types	False
		False

Source Mapping

Source Field	Target Field
Subject	Title

Load from Source Fields

移行元と移行先の列をマッピング

Map Dataで実施する作業

SharePointリスト/ライブラリの列に値を設定するために、以下を実施

1. Notes列とSharePoint列を関連付け
2. 移行対象に作成者・更新者データを追加(オプションを選択)

Map Dataタブ：移行元と移行先の関連付け

Quest Migrator for Notes to SharePoint Designer

File Edit Run Tools View Help

Notes SharePoint **Map Data** Advanced

Field Mappings

- Subject -> Title
- BodyHtml -> Body
- BodyAttachments -> Attachments
- BodyImages -> Attachments
- BodyEmbeddedObjects -> Attachments

Options

FormatString	
MaxSize	0
MultiValueDisposi	Default
Transform	None

データ

Destination	Title
SourceType	SourceField
SourceValue	Subject

Destination
SharePoint or SQL Server or Folder field to map to.

+ Add X Remove || Sort ↑ ↓

↔ Auto Map

Preserve Created/Modified identities Preserve Response/Reply hierarchies

Preserve Created/Modified dates Map Event / Recurrence data

New Job Load Job ▾ Save Job Options Run Job ▾ Close

Map Dataタブ

Auto Map

移行元テンプレートの列と移行先テンプレートの列を自動でマッピング
※ 自動マッピングを有効にするには、Target Data Definition (SharePoint) のData Fieldsタブで、各列のSource Mappingを適切に設定する必要あり

Add

移行元テンプレートの列と移行先テンプレートの列を手動でマッピング

Remove

Field Mappingsのマッピングを削除

Preserve Created/Modified identities

作成者、変更者のデータを移行

Preserve Created/Modified dates

作成日、変更日のデータを移行

Preserve Response/Reply hierarchies

ディスカッション掲示板などメインとピングと返答を持つ文章の階層関係を維持してデータ移行

Map DataのFiled Mappingsでマッピングされた列をSharePointへデータ移行

関連付け：NotesとSharePointの列をマッピング

Quest Migrator for Notes to SharePoint Designer

File Edit Run Tools View Help

Notes SharePoint Map Data Advanced

Field Mappings

Subject	→	Title
BodyHtml	→	
BodyAttachments	→	
BodyImages	→	
BodyEmbed	→	
Categories	→	
From	→	From
AltFrom	→	AltFrom
AltLang	→	AltLang
ArchiveDate	→	ArchiveDate
ArchiveExpired	→	ArchiveExpired
ArchiveLocation	→	ArchiveLocation
ArchiveLog	→	ArchiveLog
ArchiveLogDBPath	→	ArchiveLogDBPath
ArchiveModified	→	ArchiveModified

Options

Destination	Title
SourceType	SourceField
SourceValue	Subject

Destination
SharePoint or SQL Server or Folder
map to.

Auto Map

Preserve Created/Modified identities
 Preserve Created/Modified dates
 Preserve Response/Reply
 Map Event / Recurrence data

New Job Load Job Save Job Options Run Job

Source Mappingの情報をもとに、自動的に列がマッピングされる

Source Data Definition (Notes)

Definition Record Selection Data Fields Preview Data Query

Column	Item
Column Type	Item
Options	
Option	None
Return Type	String
Item Name	Subject

Item Name
Name of Notes item to extract.

OK Cancel

例) 移行元テンプレートの設定

Target Data Definition (SharePoint)

List Definition Data Fields Advanced

Field	Title
Name	Title
Internal Name	
Target Type	Text
Migration	
Add to Views	None
Applies To	PrimaryOnly
Provisioning New Fields	
Description	
Is Required Field	False
Enforce Unique Values	False
Multi Line	False
Is Title Field	False
Default Value	False

The name of the field in the SharePoint list.

OK Cancel

例) 移行先テンプレートの設定

Map DataのFiled Mappingsでマッピングされた列をSharePointへデータ移行

関連付け：作成者と更新者の移行を選択

Quest Migrator for Notes to SharePoint Designer

File Edit Run Tools View Help

Notes SharePoint Map Data Advanced

Field Mappings

- Subject -> Title
- BodyHtml -> Body
- BodyAttachments -> Attachments
- BodyImages -> Attachments
- BodyEmbeddedObjects -> Attachments
- Categories -> Categories
- From -> From
- AltFrom -> AltFrom
- AltLang -> AltLang
- ArchiveDate -> ArchiveDate
- ArchiveExpired -> ArchiveExpired
- ArchiveLocation -> ArchiveLocation
- ArchiveLog -> ArchiveLog
- ArchiveLogDBPath -> ArchiveLogDBPath
- ArchiveModified -> ArchiveModified

Options

FormatString	
MaxSize	0
MultiValueDisposi	Default
Transform	None

データ

Destination	Title
SourceType	SourceField
SourceValue	Subject

Destination
SharePoint map to.

Preserve Created/Modified identities
 Preserve Created/Modified dates
 Preserve Response/Reply hierarchies
 Map Event / Recurrence data

New Job Load Job Save Job Options Run Job Close

※ マッピングファイルに従い、NotesユーザーをSharePointユーザーに変換

usermap.txt - メモ帳

ファイル(F) 編集(E) 書式(O) 表示(V) ヘルプ(H)
mnadmin/Admin/Contoso,yoshiah@contoso.com
Koji Hatayama/Planning/Contoso,khatayama@contoso.com
Koji Hatayama/SE/Contoso,khatayama@contoso.com
Takayoshi Tsuihiji/Contoso,ttsuihiji@contoso.com
Toshiyuki Ono/Finance/Contoso,tono@contoso.com
Toshiyuki Ono/Sales/Contoso,tono@contoso.com
Yoshiaki Hashiba/Dev/Contoso,yhashiba@contoso.com
Yoshiaki Hashiba/Sales/Contoso,yhashiba@contoso.com
Yoshiaki Hashiba/SE/Contoso,yhashiba@contoso.com

Notes文書の作成者、更新者情報を移行する場合は、
Preserve Created/Modified identitiesを選択

関連付け：作成日と更新日の移行を選択

The screenshot shows the 'Map Data' tab in the Quest Migrator for Notes to SharePoint Designer. The 'Field Mappings' list on the left includes 'Subject -> Title', which is selected. The 'Options' table on the right shows 'Destination' set to 'Title', 'Source Type' set to 'SourceField', and 'Source Value' set to 'Subject'. At the bottom, the 'Destination SharePoint map to.' section has a checkbox for 'Preserve Created/Modified dates' which is checked and highlighted with a red box. A callout box points to this checkbox with the text: 'Notes文書の作成日、更新日情報を移行する場合は、Preserve Created/Modified datesを選択'.

Options	
FormatString	
MaxSize	0
MultiValueDisposi	Default
Transform	None
データ	
Destination	Title
Source Type	SourceField
Source Value	Subject

Destination SharePoint map to.

- Preserve Created/Modified identities
- Preserve Created/Modified dates
- Preserve Response/Reply hierarchies
- Map Event / Recurrence data

文書リンクの継続方法を選択

Advancedで実施する作業


SharePointへ移行する文書リンクの動作を決定するために、以下を実施

1. DocLink handlingを選択

さらに、必要であれば、以下を実施

1. ユーザーマッピングでエラーが発生した場合の動作を選択
2. NotesのACL,ロールをSharePoint権限に関連付け

Advanced : 文書リンクの継続方法を選択



文書リンクを継続かつ、遷移先がSharePointアプリへ移行した後、呼び元のパイパーリンク情報をMNSPで書き換えるには、Use the Link Tracking Serviceを選択

移行ジョブの実行

移行ジョブを実行し、結果を確認

SharePointリスト/ライブラリにデータ移行するために、以下を実施

1. Run Jobを実行、もしくは、Run Complete Jobを実行
2. 移行ジョブの結果を確認
3. SharePointリスト/ライブラリを確認

実行：SharePointアイテムへ移行

Quest Migrator for Notes to SharePoint Designer

File Edit Run Tools View Help

Notes SharePoint Map Data **Advanced**

User Mapping [Global Settings](#)

If Created/Modified user mapping fails:
Reject the record

Security Mapping [Advanced Security Options](#)

ACL Entry Mapping

Map Notes Users to Domain Users
 Map Notes Groups to Domain Groups

SharePoint Group Provisioning

Expand Notes Roles to SharePoint Groups
 Expand Notes Groups to SharePoint Groups

Document Level Security

Map Reader/Author fields

DocLinks

DocLink handling: Use the Link Tracking Service

Note: This feature requires that a Link Tracking Database be configured within Migrator for Notes to SharePoint Services on your server or through the Client Link Tracking Options within the Migrator for Notes to SharePoint client

New Job Load Job Save Job Options Run Job Click


- Run Complete Job
- Run Provisioning Only
- Run Provisioning and Security Only
- Save to Intermediate File...
- Load from Intermediate File...


実行結果：移行ジョブの完了

Content Migration Job: Finalize_呼び先4

General Log Summary Log Details

Records read: 17 Written: 17 Warnings: 1

Task Progress:  Job Finished with Warnings!

 **Task completed**

Go to List Close

実行結果：SharePointアプリ

呼び先4 - 件名

保護された通信 | https://platformmanagement.sharepoint.com/sites/rooster/Lists/4/AllItems.aspx

Office 365 SharePoint

Notes移行管理者

参照 アイテム リスト

共有 フォロー

ホーム リンクの編集

このサイトの検索

呼び先4

新しいディスカッション

新着順 マイ ディスカッション 未回答の質問 ...

Migrator for Notes to SharePoint

IBM Lotus NotesからSharePoint 2016およびOffice 365へのZeroIMPACT移行を実現…

作成者: 畑山 浩二 | 最後の返信者: 春日 浩一 | 7月24日

Coexistence Manager for Notes

Coexistence Manager for Notes ユーザー同士のシームレスで安全なコラボレーションを可…

作成者: 春日 浩一 | 最後の返信者: 畑山 浩二 | 7月24日

Migrator for Notes to Exchange

IBM Lotus NotesからExchange/Office 365への簡単な移行 Migrator for Notes to …

作成者: 橋場 仁亮 | 最後の返信者: 畑山 浩二 | 7月24日

Security Explorer

Security Explorer 1つのプラットフォーム上でマイクロソフトサーバーのセキュリティをリアルタイム…

作成者: 橋場 仁亮 | 7月2日

ホーム

ノートブック

ドキュメント

ページ

最近使った項目

呼び先4

呼び先3

呼び先2

呼び先1

呼び元

サイト コンテンツ

ごみ箱

リンクの編集

参考資料

MNSP Console

ファイナライズ処理の実行

Quest™

ファイナライズを実行

MNSP Consoleで実施する作業

遷移先をSharePointリスト/ライブラリに変更するために、以下を実施

1. ファイナライズ対象を確認
2. ファイナライズを実行

ファイナライズ：ファイナライズ前の接続確認

The screenshot displays the Quest Migrator for Notes to SharePoint Console application. The main window is titled "Link Analyzer/Updater/Finalizer" and features a navigation pane on the left and a main content area on the right. The navigation pane lists various tools, with "Link Analyzer/Updater/Finalizer" selected. The main content area shows the "Link Tracking Database Settings" section, which includes the following information:

- SQL Server Name: RIO2016\SQLEXPRESS
- Database Name: QuestLinkTracking
- Authentication: Windows Authentication

Below the settings, there are two buttons: "Change Settings" and "Test Connection". The "Test Connection" button is highlighted with a red box, and a grey overlay with the text "接続テストを実行" (Execute connection test) is positioned over it. A blue checkmark icon is visible next to the "Test Connection" button.

The main content area also displays instructions for analyzing and updating links in the Link Tracking Database:

Analyze links in the Link Tracking Database

This analysis will find

- * Number of dynamic links to migrated documents
- * Number of dynamic links to unmigrated documents
- * Number of static links to web-enabled Notes documents
- * SharePoint documents not found

Update links in the Link Tracking Database

If the location of your migrated documents has changed, you should update the references to these documents in the Link Tracking Database accordingly.

Examples of this include changing the external host name of your SharePoint server, changing the path for a SharePoint site, or moving your content database to a different server.

Finalize/Update links in migrated documents

You can update your migrated documents to permanently replace all Dynamic Links with Direct Links to the last known location of the target documents, or to change the location of your Redirector Page.

If you have relocated, or plan to relocate your migrated content, be sure to update the links before you finalize them.

[More Information](#)

ファイナライズ：ファイナライズ対象の分析

The screenshot displays the Quest Migrator for Notes to SharePoint Console application. The main window is titled "Link Analyzer/Updater/Finalizer" and features several tabs: Overview, **Analyze**, Update Links, Link Finalization, Log, Update Preview, and Analyzer Results. The "Analyze" tab is active, showing options for processing migrated documents and links. A red box highlights the "Analyze" button in the top navigation bar. A grey callout box with a dotted line points to this button, containing the text "ファイナライズ対象の確認のために分析を実行" (Execute analysis to confirm finalization targets). In the foreground, a "Confirm Analyzer operation" dialog box is open, featuring a yellow warning triangle icon and the text: "You are about to start an Analyze operation. All migrated documents will be analyzed. This could be a very long running operation!". The dialog has "OK" and "キャンセル" (Cancel) buttons at the bottom, with the "OK" button highlighted by a red box. The left sidebar of the application shows a tree view of various tools and settings, including "Link Analyzer/Updater/Finalizer".

ファイナライズ：ファイナライズ対象の確認

Quest Migrator for Notes to SharePoint Console

ファイル(F) 操作(A) 表示(M) ウィンドウ(W) ヘルプ(H)

Migrator for Notes to SharePoint

- Notes Databases
- Applications
- Classification Rules
- SharePoint Targets
- Scheduled Tasks
- Reports
- Task History
- Tools
 - Link Analyzer/Updater/Finalizer
- Documentation
- Support
- Contact Us
- License

Link Analyzer/Updater/Finalizer

Overview Analyze Update Links Link Finalization Log Update Preview **Analyzer Results**

Column to Filter: Filter Text:

分析結果が表示される

Notes ID	Notes URL	SharePointURL	Status
4925815000644a2c 07e684c9a77870c6492581510032aa1e	notes:///4925815000644a	https://platformmanageme	Not Found
4925815000644a2c 0eb33886f3150d5a492581670028877f	notes:///4925815000644a	https://platformmanageme	Not Found
4925815000644a2c 0f193a3a85ead60649258151004c259b	notes:///4925815000644a	https://platformmanageme	Not Found
4925815000644a2c 0feb915ab385f7924925815000811212	notes:///4925815000644a	https://platformmanageme	Not Found
4925815000644a2c 209bc9c0c10138b7492581cc0018fad2	notes:///4925815000644a	https://platformmanageme	Not Found
4925815000644a2c 32b41f31f2c1db7d4925816700246e66	notes:///4925815000644a	https://platformmanageme	Not Found
4925815000644a2c 4c0abd48760f14ea492581670022e7ac	notes:///4925815000644a	https://platformmanageme	Not Found
4925815000644a2c 57181cd614bc320f49258151000d8818	notes:///4925815000644a	https://platformmanageme	Not Found
4925815000644a2c 5a8ad2359fa98bfe492581670022291e	notes:///4925815000644a	https://platformmanageme	Not Found
4925815000644a2c 7c2cb785b652fcb4925815100560113	notes:///4925815000644a	https://platformmanageme	Not Found
4925815000644a2c 844f89f0538f127f49258167002516f5	notes:///4925815000644a	https://platformmanageme	Not Found
4925815000644a2c 8b1e5f1ec6d0948249258257000112df	notes:///4925815000644a	https://platformmanageme	Not Found
4925815000644a2c a87a047e624c5d644925816700274c89	notes:///4925815000644a	https://platformmanageme	Not Found
4925815000644a2c b1dfd4aa72aa148a492581cc0015a1ff	notes:///4925815000644a	https://platformmanageme	Not Found
4925815000644a2c c1fec000fc5be53c4925815100318108	notes:///4925815000644a	https://platformmanageme	Not Found
4925815000644a2c ccf5ca5c3f4b289649258151000f0c25	notes:///4925815000644a	https://platformmanageme	Not Found
4925815000644a2c e92a66af1ac5b5c1492581d300018118	notes:///4925815000644a	https://platformmanageme	Not Found


Total Rows: 17 Selected Rows: 17 Migrated: 5 Non-Migrated: 0 Finalized: 0 Unresolved Links: 5

Analyzing Document Links

ファイナライズ：ファイナライズ対象の事前確認

The screenshot displays the 'Quest Migrator for Notes to SharePoint Console' application. The main window is titled 'Link Analyzer/Updater/Finalizer' and has tabs for 'Overview', 'Analyze', 'Update Links', 'Link Finalization', 'Log', 'Update Preview', and 'Analyzer Results'. The 'Link Finalization' tab is active. A dialog box titled 'Confirm Finalize operation' is open, containing a warning icon and the following text: 'You are about to start a finalize operation. All migrated documents will be permanently altered. Dynamic links to migrated documents will be finalized (replaced) with direct links to those documents. WARNING: This operation is final and cannot be undone with this tool.' The dialog has 'OK' and 'キャンセル' (Cancel) buttons. Below the dialog, the 'Preview' button is highlighted with a red box, and a red arrow points to it. A grey callout box with the text 'ファイナライズ対象の事前確認を実行' (Execute pre-confirmation for finalization target) is positioned over the 'Preview' button. The background shows a tree view on the left with 'Notes Databases', 'Applications', and 'Classification Rules'. The main area contains a table with columns for document details, including a URL: 'http://www.quest.com/QuestLinkTracking.aspx?noteslink={0}'.

ファイナライズ：事前確認の確認



事前確認の結果が表示される

Finalizing Document Links Preview

Cancel

Finalizing Document Links Preview: Task complete

Links to migrated documents will be finalized: 5 links in 3 documents. Links to Non-migrated documents will

Finalizing Document Links Preview

ファイナライズ：ファイナライズの実行

The screenshot displays the Quest Migrator for Notes to SharePoint Console interface. The main window is titled "Link Analyzer/Updater/Finalizer" and is currently in the "Link Finalization" tab. The interface includes a left-hand navigation pane with various tool categories, and a main content area with several configuration sections.

Navigation Pane:

- Migrator for Notes to SharePoint
 - Notes Databases
 - Applications
 - Classification Rules
 - SharePoint Targets
 - Scheduled Tasks
 - Reports
 - Task History
 - Tools
 - Link Analyzer/Updater/Finalizer**
 - Documentation
 - Support
 - Contact Us
 - License

Link Analyzer/Updater/Finalizer - Link Finalization Tab:

- Overview** | Analyze | Update Links | **Link Finalization** | Log | Update Preview | Analyzer Results
- Which migrated documents are to be processed?**
 - All migrated documents
 - All documents starting with a specific URL
- Which links in migrated documents are to be processed?**
 - All links in migrated documents
 - All links in migrated documents starting with a specific URL
- Links to Migrated Documents**
 - Modify Dynamic Links to Migrated Documents:**
 - Finalize Dynamic Links with Direct Links
 - Replace Dynamic Links with this Alternate URL (Example: `http://www.quest.com/QuestLinkTracking.aspx?noteslink={0}`)


- Links to Non-Migrated Documents**
- Modify Dynamic Links to Non-Migrated Documents:**
 - Replace Dynamic Links with this Alternate URL (Example: `http://www.quest.com/QuestLinkTracking.aspx?noteslink={0}`)
 - Replace Dynamic Links with Direct Links (Warning! Notes URLs will not work in migrated documents)

Buttons: Preview | **Finalize**

Finalizing Document Links

A grey callout box with the text "対象のファイナライズを実行" (Execute finalization of the target) is positioned over the "Finalize" button.

ファイナライズ：ファイナライズの実行結果



ファイナライズの実行結果が表示される

Finalizing Document Links

Cancel

Finalizing Document Links: Task complete

Successfully finalized 5 links in 3 documents

Finalizing Document Links

ファイナライズ：詳細ログの確認

Quest Migrator for Notes to SharePoint Console

ファイル(F) 操作(A) 表示(M) ウィンドウ(W) ヘルプ(H)

Migrator for Notes to SharePoint

- Notes Databases
- Applications
- Classification Rules
- SharePoint Targets
- Scheduled Tasks
- Reports
- Task History
- Tools
 - Link Analyzer/Updater/Finalizer
- Documentation
- Support
- Contact Us
- License

Link Analyzer/Updater/Finalizer

Overview Analyze Update Links Link Finalization **Log** Update Preview Analyzer Results

Session: Finalize 2018/04/15 - 17:47 Column to Filter: Filter Text: Show Errors Only

	Date/Time	Source ID	Target ID	Source URL	URL Finalized	URL Count
▶	2018/04/15 17:4...					0
	2018/04/15 17:4...	4925815000644a2c 0...	4925815000644a2c 0...	https://platformmana...	Finalized	1
	2018/04/15 17:4...	4925815000644a2c 0...	4925815000644a2c 0...	https://platformmana...	migrated	0
	2018/04/15 17:4...	4925815000644a2c 0...	4925815000644a2c 7...	https://platformmana...	Finalized	1
	2018/04/15 17:4...	4925815000644a2c 5...	4925815000644a2c 0...	https://platformmana...	Finalized	1
	2018/04/15 17:4...	4925815000644a2c 5...	4925815000644a2c c...	https://platformmana...	Finalized	1
	2018/04/15 17:4...	4925815000644a2c e...	4925815000644a2c 7...	https://platformmana...	Finalized	1
	2018/04/15 17:4...					0

Total Rows: 17 Selected Rows: 8

Finalizing Document Links